



BARGE "CMS 1602"

PORT HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,912.61	0	4,339.12	0	4,729.40	0	5,068.16	0	5,331.65	0		0		0		0		0	
1/4	3,921.77	1/4	4,347.64	1/4	4,737.01	1/4	5,074.48	1/4	5,335.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,930.92	1/2	4,356.16	1/2	4,744.62	1/2	5,080.79	1/2	5,340.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,940.08	3/4	4,364.68	3/4	4,752.23	3/4	5,087.11	3/4	5,344.63	3/4		3/4		3/4		3/4		3/4	
1	3,949.23	1	4,373.21	1	4,759.85	1	5,093.43	1	5,348.96	1		1		1		1		1	
1/4	3,958.35	1/4	4,381.66	1/4	4,767.37	1/4	5,099.61	1/4	5,353.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,967.46	1/2	4,390.12	1/2	4,774.89	1/2	5,105.79	1/2	5,357.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,976.57	3/4	4,398.58	3/4	4,782.41	3/4	5,111.98	3/4	5,361.26	3/4		3/4		3/4		3/4		3/4	
2	3,985.68	2	4,407.04	2	4,789.93	2	5,118.16	2	5,365.36	2		2		2		2		2	
1/4	3,994.75	1/4	4,415.43	1/4	4,797.36	1/4	5,124.21	1/4	5,369.22	1/4		1/4		1/4		1/4		1/4	
1/2	4,003.82	1/2	4,423.82	1/2	4,804.78	1/2	5,130.26	1/2	5,373.08	1/2		1/2		1/2		1/2		1/2	
3/4	4,012.88	3/4	4,432.21	3/4	4,812.21	3/4	5,136.31	3/4	5,376.94	3/4		3/4		3/4		3/4		3/4	
3	4,021.95	3	4,440.60	3	4,819.64	3	5,142.35	3	5,380.80	3		3		3		3		3	
1/4	4,030.97	1/4	4,448.92	1/4	4,826.97	1/4	5,148.26	1/4	5,384.40	1/4		1/4		1/4		1/4		1/4	
1/2	4,039.99	1/2	4,457.25	1/2	4,834.30	1/2	5,154.16	1/2	5,388.00	1/2		1/2		1/2		1/2		1/2	
3/4	4,049.01	3/4	4,465.57	3/4	4,841.63	3/4	5,160.07	3/4	5,391.60	3/4		3/4		3/4		3/4		3/4	
4	4,058.03	4	4,473.89	4	4,848.96	4	5,165.98	4	5,395.20	4		4		4		4		4	
1/4	4,067.00	1/4	4,482.15	1/4	4,856.19	1/4	5,171.74	1/4	5,398.52	1/4		1/4		1/4		1/4		1/4	
1/2	4,075.97	1/2	4,490.40	1/2	4,863.42	1/2	5,177.50	1/2	5,401.84	1/2		1/2		1/2		1/2		1/2	
3/4	4,084.95	3/4	4,498.65	3/4	4,870.66	3/4	5,183.26	3/4	5,405.15	3/4		3/4		3/4		3/4		3/4	
5	4,093.92	5	4,506.91	5	4,877.89	5	5,189.02	5	5,408.47	5		5		5		5		5	
1/4	4,102.84	1/4	4,515.09	1/4	4,885.02	1/4	5,194.63	1/4	5,411.48	1/4		1/4		1/4		1/4		1/4	
1/2	4,111.76	1/2	4,523.27	1/2	4,892.15	1/2	5,200.24	1/2	5,414.48	1/2		1/2		1/2		1/2		1/2	
3/4	4,120.68	3/4	4,531.45	3/4	4,899.27	3/4	5,205.84	3/4	5,417.49	3/4		3/4		3/4		3/4		3/4	
6	4,129.60	6	4,539.63	6	4,906.40	6	5,211.45	6	5,420.49	6		6		6		6		6	
1/4	4,138.47	1/4	4,547.73	1/4	4,913.43	1/4	5,216.90	1/4	5,423.15	1/4		1/4		1/4		1/4		1/4	
1/2	4,147.34	1/2	4,555.84	1/2	4,920.45	1/2	5,222.35	1/2	5,425.80	1/2		1/2		1/2		1/2		1/2	
3/4	4,156.21	3/4	4,563.95	3/4	4,927.48	3/4	5,227.80	3/4	5,428.46	3/4		3/4		3/4		3/4		3/4	
7	4,165.08	7	4,572.05	7	4,934.50	7	5,233.25	7	5,431.11	7		7		7		7		7	
1/4	4,173.90	1/4	4,580.08	1/4	4,941.41	1/4	5,238.53	1/4	5,433.35	1/4		1/4		1/4		1/4		1/4	
1/2	4,182.71	1/2	4,588.11	1/2	4,948.33	1/2	5,243.82	1/2	5,435.60	1/2		1/2		1/2		1/2		1/2	
3/4	4,191.53	3/4	4,596.14	3/4	4,955.24	3/4	5,249.10	3/4	5,437.84	3/4		3/4		3/4		3/4		3/4	
8	4,200.34	8	4,604.17	8	4,962.16	8	5,254.38	8	5,440.09	8		8		8		8		8	
1/4	4,209.10	1/4	4,612.12	1/4	4,968.96	1/4	5,259.49	1/4	5,441.82	1/4		1/4		1/4		1/4		1/4	
1/2	4,217.87	1/2	4,620.07	1/2	4,975.77	1/2	5,264.61	1/2	5,443.56	1/2		1/2		1/2		1/2		1/2	
3/4	4,226.63	3/4	4,628.02	3/4	4,982.57	3/4	5,269.72	3/4	5,445.29	3/4		3/4		3/4		3/4		3/4	
9	4,235.39	9	4,635.97	9	4,989.37	9	5,274.83	9	5,447.03	9		9		9		9		9	
1/4	4,244.09	1/4	4,643.84	1/4	4,996.06	1/4	5,279.76	1/4	5,447.97	1/4		1/4		1/4		1/4		1/4	
1/2	4,252.79	1/2	4,651.71	1/2	5,002.75	1/2	5,284.68	1/2	5,448.92	1/2		1/2		1/2		1/2		1/2	
3/4	4,261.50	3/4	4,659.58	3/4	5,009.43	3/4	5,289.61	3/4	5,449.87	3/4		3/4		3/4		3/4		3/4	
10	4,270.20	10	4,667.45	10	5,016.12	10	5,294.54	10	5,450.82	10		10		10		10		10	
1/4	4,278.85	1/4	4,675.24	1/4	5,022.69	1/4	5,299.28	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,287.49	1/2	4,683.02	1/2	5,029.25	1/2	5,304.02	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,296.14	3/4	4,690.81	3/4	5,035.82	3/4	5,308.76	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,304.78	11	4,698.60	11	5,042.39	11	5,313.50	11		11		11		11		11		11	
1/4	4,313.37	1/4	4,706.30	1/4	5,048.83	1/4	5,318.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,321.95	1/2	4,714.00	1/2	5,055.27	1/2	5,322.57	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,330.53	3/4	4,721.70	3/4	5,061.72	3/4	5,327.11	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/17/2010 CL - SW
CALCULATED: 12/17/2010 CL
PRINTED: 12/17/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CMS 1602"

CENTER HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,908.48	0	4,334.53	0	4,724.42	0	5,062.88	0	5,326.16	0		0		0		0		0	
1/4	3,917.63	1/4	4,343.05	1/4	4,732.02	1/4	5,069.19	1/4	5,330.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,926.77	1/2	4,351.56	1/2	4,739.63	1/2	5,075.50	1/2	5,334.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,935.92	3/4	4,360.07	3/4	4,747.23	3/4	5,081.81	3/4	5,339.13	3/4		3/4		3/4		3/4		3/4	
1	3,945.07	1	4,368.58	1	4,754.84	1	5,088.12	1	5,343.46	1		1		1		1		1	
1/4	3,954.17	1/4	4,377.03	1/4	4,762.35	1/4	5,094.30	1/4	5,347.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,963.27	1/2	4,385.48	1/2	4,769.87	1/2	5,100.48	1/2	5,351.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,972.37	3/4	4,393.93	3/4	4,777.38	3/4	5,106.66	3/4	5,355.75	3/4		3/4		3/4		3/4		3/4	
2	3,981.47	2	4,402.38	2	4,784.89	2	5,112.83	2	5,359.85	2		2		2		2		2	
1/4	3,990.53	1/4	4,410.76	1/4	4,792.31	1/4	5,118.88	1/4	5,363.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,999.59	1/2	4,419.15	1/2	4,799.73	1/2	5,124.92	1/2	5,367.56	1/2		1/2		1/2		1/2		1/2	
3/4	4,008.65	3/4	4,427.53	3/4	4,807.15	3/4	5,130.96	3/4	5,371.42	3/4		3/4		3/4		3/4		3/4	
3	4,017.70	3	4,435.91	3	4,814.57	3	5,137.00	3	5,375.28	3		3		3		3		3	
1/4	4,026.71	1/4	4,444.23	1/4	4,821.90	1/4	5,142.91	1/4	5,378.88	1/4		1/4		1/4		1/4		1/4	
1/2	4,035.72	1/2	4,452.54	1/2	4,829.22	1/2	5,148.81	1/2	5,382.47	1/2		1/2		1/2		1/2		1/2	
3/4	4,044.73	3/4	4,460.85	3/4	4,836.55	3/4	5,154.71	3/4	5,386.07	3/4		3/4		3/4		3/4		3/4	
4	4,053.74	4	4,469.17	4	4,843.87	4	5,160.61	4	5,389.67	4		4		4		4		4	
1/4	4,062.71	1/4	4,477.41	1/4	4,851.10	1/4	5,166.37	1/4	5,392.99	1/4		1/4		1/4		1/4		1/4	
1/2	4,071.67	1/2	4,485.66	1/2	4,858.32	1/2	5,172.12	1/2	5,396.30	1/2		1/2		1/2		1/2		1/2	
3/4	4,080.63	3/4	4,493.90	3/4	4,865.54	3/4	5,177.88	3/4	5,399.62	3/4		3/4		3/4		3/4		3/4	
5	4,089.59	5	4,502.15	5	4,872.77	5	5,183.63	5	5,402.93	5		5		5		5		5	
1/4	4,098.50	1/4	4,510.32	1/4	4,879.89	1/4	5,189.24	1/4	5,405.94	1/4		1/4		1/4		1/4		1/4	
1/2	4,107.41	1/2	4,518.49	1/2	4,887.01	1/2	5,194.84	1/2	5,408.94	1/2		1/2		1/2		1/2		1/2	
3/4	4,116.33	3/4	4,526.66	3/4	4,894.14	3/4	5,200.45	3/4	5,411.95	3/4		3/4		3/4		3/4		3/4	
6	4,125.24	6	4,534.84	6	4,901.26	6	5,206.05	6	5,414.95	6		6		6		6		6	
1/4	4,134.10	1/4	4,542.93	1/4	4,908.28	1/4	5,211.50	1/4	5,417.60	1/4		1/4		1/4		1/4		1/4	
1/2	4,142.96	1/2	4,551.03	1/2	4,915.29	1/2	5,216.94	1/2	5,420.26	1/2		1/2		1/2		1/2		1/2	
3/4	4,151.82	3/4	4,559.13	3/4	4,922.31	3/4	5,222.39	3/4	5,422.91	3/4		3/4		3/4		3/4		3/4	
7	4,160.68	7	4,567.23	7	4,929.33	7	5,227.83	7	5,425.56	7		7		7		7		7	
1/4	4,169.48	1/4	4,575.25	1/4	4,936.24	1/4	5,233.11	1/4	5,427.80	1/4		1/4		1/4		1/4		1/4	
1/2	4,178.29	1/2	4,583.27	1/2	4,943.15	1/2	5,238.39	1/2	5,430.05	1/2		1/2		1/2		1/2		1/2	
3/4	4,187.10	3/4	4,591.29	3/4	4,950.06	3/4	5,243.67	3/4	5,432.29	3/4		3/4		3/4		3/4		3/4	
8	4,195.90	8	4,599.31	8	4,956.96	8	5,248.95	8	5,434.53	8		8		8		8		8	
1/4	4,204.66	1/4	4,607.26	1/4	4,963.76	1/4	5,254.06	1/4	5,436.27	1/4		1/4		1/4		1/4		1/4	
1/2	4,213.41	1/2	4,615.20	1/2	4,970.56	1/2	5,259.16	1/2	5,438.00	1/2		1/2		1/2		1/2		1/2	
3/4	4,222.16	3/4	4,623.14	3/4	4,977.36	3/4	5,264.27	3/4	5,439.74	3/4		3/4		3/4		3/4		3/4	
9	4,230.91	9	4,631.09	9	4,984.15	9	5,269.38	9	5,441.47	9		9		9		9		9	
1/4	4,239.60	1/4	4,638.95	1/4	4,990.83	1/4	5,274.30	1/4	5,442.42	1/4		1/4		1/4		1/4		1/4	
1/2	4,248.30	1/2	4,646.81	1/2	4,997.52	1/2	5,279.23	1/2	5,443.37	1/2		1/2		1/2		1/2		1/2	
3/4	4,256.99	3/4	4,654.67	3/4	5,004.20	3/4	5,284.15	3/4	5,444.31	3/4		3/4		3/4		3/4		3/4	
10	4,265.69	10	4,662.53	10	5,010.88	10	5,289.08	10	5,445.26	10		10		10		10		10	
1/4	4,274.32	1/4	4,670.31	1/4	5,017.44	1/4	5,293.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,282.96	1/2	4,678.09	1/2	5,024.00	1/2	5,298.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,291.60	3/4	4,685.87	3/4	5,030.56	3/4	5,303.28	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,300.23	11	4,693.65	11	5,037.12	11	5,308.02	11		11		11		11		11		11	
1/4	4,308.81	1/4	4,701.34	1/4	5,043.56	1/4	5,312.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,317.38	1/2	4,709.03	1/2	5,050.00	1/2	5,317.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,325.96	3/4	4,716.73	3/4	5,056.44	3/4	5,321.63	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/17/2010 CL - SW
CALCULATED: 12/17/2010 CL
PRINTED: 12/17/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CMS 1602"

STBD HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,908.62	0	4,334.69	0	4,724.59	0	5,063.06	0	5,326.36	0		0		0		0		0	
1/4	3,917.77	1/4	4,343.20	1/4	4,732.19	1/4	5,069.37	1/4	5,330.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,926.91	1/2	4,351.71	1/2	4,739.80	1/2	5,075.68	1/2	5,335.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,936.06	3/4	4,360.23	3/4	4,747.40	3/4	5,081.99	3/4	5,339.34	3/4		3/4		3/4		3/4		3/4	
1	3,945.21	1	4,368.74	1	4,755.01	1	5,088.31	1	5,343.66	1		1		1		1		1	
1/4	3,954.31	1/4	4,377.19	1/4	4,762.52	1/4	5,094.49	1/4	5,347.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,963.41	1/2	4,385.64	1/2	4,770.04	1/2	5,100.66	1/2	5,351.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,972.51	3/4	4,394.09	3/4	4,777.55	3/4	5,106.84	3/4	5,355.96	3/4		3/4		3/4		3/4		3/4	
2	3,981.62	2	4,402.54	2	4,785.07	2	5,113.02	2	5,360.05	2		2		2		2		2	
1/4	3,990.67	1/4	4,410.92	1/4	4,792.49	1/4	5,119.07	1/4	5,363.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,999.73	1/2	4,419.30	1/2	4,799.91	1/2	5,125.11	1/2	5,367.77	1/2		1/2		1/2		1/2		1/2	
3/4	4,008.79	3/4	4,427.69	3/4	4,807.33	3/4	5,131.15	3/4	5,371.63	3/4		3/4		3/4		3/4		3/4	
3	4,017.85	3	4,436.07	3	4,814.75	3	5,137.20	3	5,375.49	3		3		3		3		3	
1/4	4,026.86	1/4	4,444.38	1/4	4,822.07	1/4	5,143.10	1/4	5,379.08	1/4		1/4		1/4		1/4		1/4	
1/2	4,035.87	1/2	4,452.70	1/2	4,829.40	1/2	5,149.00	1/2	5,382.68	1/2		1/2		1/2		1/2		1/2	
3/4	4,044.88	3/4	4,461.01	3/4	4,836.72	3/4	5,154.90	3/4	5,386.28	3/4		3/4		3/4		3/4		3/4	
4	4,053.89	4	4,469.33	4	4,844.05	4	5,160.80	4	5,389.88	4		4		4		4		4	
1/4	4,062.85	1/4	4,477.57	1/4	4,851.27	1/4	5,166.56	1/4	5,393.20	1/4		1/4		1/4		1/4		1/4	
1/2	4,071.81	1/2	4,485.82	1/2	4,858.50	1/2	5,172.32	1/2	5,396.51	1/2		1/2		1/2		1/2		1/2	
3/4	4,080.77	3/4	4,494.06	3/4	4,865.72	3/4	5,178.07	3/4	5,399.83	3/4		3/4		3/4		3/4		3/4	
5	4,089.74	5	4,502.31	5	4,872.95	5	5,183.83	5	5,403.14	5		5		5		5		5	
1/4	4,098.65	1/4	4,510.48	1/4	4,880.07	1/4	5,189.43	1/4	5,406.15	1/4		1/4		1/4		1/4		1/4	
1/2	4,107.56	1/2	4,518.65	1/2	4,887.19	1/2	5,195.04	1/2	5,409.15	1/2		1/2		1/2		1/2		1/2	
3/4	4,116.47	3/4	4,526.82	3/4	4,894.31	3/4	5,200.64	3/4	5,412.16	3/4		3/4		3/4		3/4		3/4	
6	4,125.38	6	4,535.00	6	4,901.44	6	5,206.25	6	5,415.16	6		6		6		6		6	
1/4	4,134.24	1/4	4,543.10	1/4	4,908.46	1/4	5,211.69	1/4	5,417.81	1/4		1/4		1/4		1/4		1/4	
1/2	4,143.10	1/2	4,551.19	1/2	4,915.47	1/2	5,217.14	1/2	5,420.47	1/2		1/2		1/2		1/2		1/2	
3/4	4,151.96	3/4	4,559.29	3/4	4,922.49	3/4	5,222.58	3/4	5,423.12	3/4		3/4		3/4		3/4		3/4	
7	4,160.83	7	4,567.39	7	4,929.51	7	5,228.03	7	5,425.77	7		7		7		7		7	
1/4	4,169.63	1/4	4,575.41	1/4	4,936.42	1/4	5,233.31	1/4	5,428.02	1/4		1/4		1/4		1/4		1/4	
1/2	4,178.44	1/2	4,583.43	1/2	4,943.33	1/2	5,238.59	1/2	5,430.26	1/2		1/2		1/2		1/2		1/2	
3/4	4,187.25	3/4	4,591.46	3/4	4,950.24	3/4	5,243.87	3/4	5,432.50	3/4		3/4		3/4		3/4		3/4	
8	4,196.05	8	4,599.48	8	4,957.15	8	5,249.15	8	5,434.75	8		8		8		8		8	
1/4	4,204.80	1/4	4,607.42	1/4	4,963.94	1/4	5,254.25	1/4	5,436.48	1/4		1/4		1/4		1/4		1/4	
1/2	4,213.56	1/2	4,615.37	1/2	4,970.74	1/2	5,259.36	1/2	5,438.21	1/2		1/2		1/2		1/2		1/2	
3/4	4,222.31	3/4	4,623.31	3/4	4,977.54	3/4	5,264.47	3/4	5,439.95	3/4		3/4		3/4		3/4		3/4	
9	4,231.06	9	4,631.25	9	4,984.33	9	5,269.57	9	5,441.68	9		9		9		9		9	
1/4	4,239.75	1/4	4,639.11	1/4	4,991.02	1/4	5,274.50	1/4	5,442.63	1/4		1/4		1/4		1/4		1/4	
1/2	4,248.45	1/2	4,646.98	1/2	4,997.70	1/2	5,279.43	1/2	5,443.58	1/2		1/2		1/2		1/2		1/2	
3/4	4,257.14	3/4	4,654.84	3/4	5,004.38	3/4	5,284.35	3/4	5,444.53	3/4		3/4		3/4		3/4		3/4	
10	4,265.84	10	4,662.70	10	5,011.06	10	5,289.28	10	5,445.48	10		10		10		10		10	
1/4	4,274.47	1/4	4,670.48	1/4	5,017.62	1/4	5,294.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,283.11	1/2	4,678.26	1/2	5,024.18	1/2	5,298.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,291.75	3/4	4,686.04	3/4	5,030.75	3/4	5,303.49	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,300.38	11	4,693.82	11	5,037.31	11	5,308.22	11		11		11		11		11		11	
1/4	4,308.96	1/4	4,701.51	1/4	5,043.75	1/4	5,312.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,317.53	1/2	4,709.20	1/2	5,050.18	1/2	5,317.29	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,326.11	3/4	4,716.90	3/4	5,056.62	3/4	5,321.83	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 12/17/2010 CL - SW
CALCULATED: 12/17/2010 CL
PRINTED: 12/17/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2010

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>